

209030 Base antenna

790-2690 MHz

ANTENNA TYPE	End-fed $1/2 \lambda$ coaxial MULTI band dipole antenna for the 790-2700 cellular networks <ul style="list-style-type: none">• High quality UHF antenna for professional use• Full omni-directional radiation pattern• NO GROUNDPLANE NEEDED
FREQUENCY	790-869 / 824-894 / 890-960 / 1710-1880 / 1850-1990 / 1920-2170 / 2412-2484 / 2500-2690 MHz
IMPEDANCE	Nom. 50 Ohm
POLARISATION	Vertical
GAIN	0 dBd 790-960 MHz 3 dBd 1710-2170 MHz 7 dBd 2412-2690
BANDWIDTH	See FREQUENCY
VSWR	LTE800, GSM850/900: < 2.5 LTE1900/1800/2100/2600, GSM1800/1900/UMTS: < 2.1
MAX. POWER	40 Watt
COLOUR	White and chrome
LENGTH (WHIP)	Approx. 440 mm
WEIGHT	Approx. 300 g
MOUNTING	Exclusive
MATERIAL	PU-painted glassfibre, PTFE, PE and chromed solid brass, IP66 classified
TEMPERATURE	-40°C - +70°C

THREAD	N (f)
--------	-------

