

T-BP615 Low Profile Antenna

UMTS / WLAN

MOUNT TYPE	Low Profile Antenna with UMTS and WLAN
ANTENNA PART: POLARISATION FREQUENCY	1/4 λ Antenna Vertical GSM / ETACS / NNT 824 ÷ 960 MHz PCN / GSM 1710 ÷ 1880 MHz GPRS 1900 MHz UMTS 1900 ÷ 2170 MHz
IMPEDANCE VSWR GAIN EMMISSION MAX POWER	Nom. 50 Ω Less than 2.0 2.14 dBi over 1/4 λ Omnidirectional 100 Watt
WLAN antenna part: ANTENNA TYPE POLARISATION EMISSION FREQUENCY VSWR IMPEDANCE GAIN MAX Power	Vertical Omnidirectional 2400÷2485 MHz less than 1.7 Nom. 50 Ω 2.14 dBi over 1/4 λ 10 W
MATERIALS Base: Radome:	Aluminium alloy ENAW-6082 Polycarbonate Polycarbonate
DIMENSIONS	106*160 mm
WEIGHT	1000 g
MOUNTING	According to FEDERTRASPORTI 00104/5
TEMPERATURE	-40° - +80° C
CABLE / CONNECTOR	UMTS: N Female WLAN: TNC (m)

